



POS.	CODICE PART NO. REF.	DENOMINAZIONE - DESCRIPTION - DESCRIPTION	Q.TY	POS.	CODICE PART NO. REF.	DENOMINAZIONE - DESCRIPTION - DESCRIPTION	Q.TY
1	95.0040.31.2	PISTON DIAPHRAGM (OPT.)	3	32	82.0071.00.2	WING NUT G.1"1/2	1
1	95.0040.33.2	VITON PISTON DIAPHRAGM (OPT.)	3	33	48.0009.26.2	CRANKSHAFT "VM" (1"3/8 M-F)	1
1	95.0040.00.2	DESMOPAN PISTON DIAPHRAGM (OPT.)	3	34	81.3020.00.2	BEARING 70X125X24	1
2	35.9802.97.3	VALVE ASSY	6	35	80.2264.10.2	OIL SEAL DIA.68x90x10	1
3	80.3262.00.2	O-RING 3,53x41,28	6	36	48.0004.09.2	BALL BEARING COVER "VM"	1
3	80.3262.50.2	O-RING 3,53x41,28 (KIT VITON)	6	37	86.2562.00.2	SCREW M8x20 UNI5931	8
4	35.0008.28.2	BRASS VALVE COVER	5	38	80.2178.10.2	OIL SEAL DIA.40x52x7	1
5	35.0018.28.2	VALVE COVER	1	39	86.2547.00.2	SCREW M8X18	2
6	80.3251.00.2	O-RING 3,53x32,93	6	40	84.3696.00.2	WASHER DIA.8,4x18x2 (OPT.)	2
6	80.3251.50.2	O-RING 3,53x32,93 (KIT VITON)	6	41	31.1468.32.2	PLAIN SAFETY CONE (OPTIONAL)	1
7	48.0027.28.2	HEAD	3	41	31.1482.32.2	PLAIN SAFETY CONE (OPTIONAL)	1
8	86.3947.00.2	SCREW M12X40 12.9 UNI 5931	18	42	81.4706.00.2	GALVANIZED HEXAGON NUT M12X6	2
9	86.3265.00.2	SCREW M10x25 UNI5931	12	44	86.4139.00.2	SCREW M12x160	2
10	41.9835.97.3	S.S. DISK + DIAPHRAGM LOCKING BOLT	3	45	27.0021.61.2	MOUNTING RAIL	2
11	43.0015.01.2	PISTON SLEEVE DIA.70	3	46	28.0144.32.2	OIL FILLER CAP	1
12	81.8527.00.2	PISTON RING DIA.70	6	47	41.0017.31.2	OIL FILLER DIAPHRAGM	1
13	37.0016.09.2	PISTON DIA.70	3	48	41.0016.32.2	OIL FILLER	1
14	85.2007.00.2	PISTON PIN DIA.15x54	3	49	80.3209.40.2	O-RING 2,62x44,12	1
15	80.0021.00.2	RING DIA.15	6	50	35.0009.09.0	BOWL OIL FILLER	1
16	48.0001.08.2	CRANKCASE	1	51	86.2852.00.2	SCREW M8x45 UNI5931	2
17	80.1369.00.2	RING DIA.52	2	52	80.3195.00.2	O-RING 2,62x20,24	1
18	80.2143.10.2	OIL SEAL DIA.35x52x7	1	53	80.3189.00.2	O-RING 2,62x18,72	3
19	81.2867.00.2	BEARING DIA.35x80x21	1	53	80.3189.50.2	O-RING 2,62x18,72 (KIT VITON)	3
20	48.0007.01.2	SPACER	1	54	24.3050.97.3	SAFETY VALVE 50bar (OPTIONAL)	1
21	14.0015.76.2	CONROD RING	2	55	83.5020.00.2	3/8 FEMALE-MALE TEE (OPT.)	1
22	41.0047.11.2	CONROD	3	56	48.0026.12.2	INLET MANIFOLD	1
23	41.0033.26.2	CRANKSHAFT "VD" (1"3/8 M-M)	1	57	84.5544.00.2	RIGHT TAP G.3/8-G.1/2	2
24	48.0008.41.2	SPACER "VD"	1	58	48.0021.28.2	LOWER BALLASTER	1
25	81.2913.00.2	BEARING DIA.40x90x23	1	59	93.0041.31.2	BALLASTER DIAPHRAGM	1
26	80.3210.68.2	O-RING 2,62x120,32	1	60	93.0003.09.2	TOP BALLASTER	1
27	48.0003.09.2	BEARING COVER	1	60	48.0033.28.2	TOP BALLASTER (BR. VERSION) (OPT.)	1
28	48.0025.12.2	INLET MANIFOLD	1	61	86.2785.00.2	SCREW M 8X40	10
29	80.3204.00.2	O-RING 2,62x23,81	3	61	86.2785.00.2	SCREW M8X30 UNI5737 (BR. VERSION) (OPT.)	10
29	80.3204.50.2	O-RING 2,62x23,81 (KIT VITON)	3	62	84.3685.00.2	WASHER DIA.8,4x15x1,5	10
30	80.3219.10.2	O-RING 3,0x30 (OPT.)	1	63	81.4575.00.2	NUT M8 UNI5588	10
30	80.3255.00.2	O-RING 3,53X36,1	1	64	86.1605.00.2	AIR VALVE	1
30	80.3255.50.2	O-RING 3,53X36,1 (KIT VITON)	1	65	80.3200.00.2	O-RING 2,62x22,22	1
31	84.0591.00.2	90 E.C. DIA.40-1,57" (PLAST. OPT.)	1	65	80.3200.50.2	O-RING 2,62x22,22 (KIT VITON)	1
31	84.0593.00.2	90 ELBOW CONNECTOR D.40-1,57"	1	66	93.0003.08.2	BALLASTER COVER (AL. VERSION) (OPT.)	1
32	82.0070.00.2	WING NUT G.1"1/2 (OPT.)	1	66	48.0033.28.2	BALLASTER COVER (BR. VERSION) (OPT.)	1